

WOOL SERGE PANNE 540



Double-sided raised IFR fabric with good acoustic qualities. Excellent value for money.
Made of 100% recycled yarns.

SPECIFICATIONS

Item	Width	Length	Weight	Composition
1350	150 cm	± 43 m	540 g/m ²	90% WO + 10% MNF
	183 cm	± 45 m	550 g/m ²	


FR standard		
AS 1530.2	AS 1530.3	BS 5867 PART 2B / pass

Care instructions	Colour fastness to light	Tear strength
	ISO 105-B02-1999+Am 2002 note 5	ISO 13937-3: 2000 Warp: 22N - Weft: 37N

Tensile strength
ISO 13934-1: 1999 Warp: 400N - Weft: 190N

WOOL SERGE PANNE 540


SOUND ABSORPTION COEFFICIENT



This graph shows the sound absorption coefficient of two curtains tested separately, hung from a rail in front of a wall:

- 100% pleat, 15 cm from the wall (G150).
- 0% pleat, 15 cm from the wall (G150).


WOOL SERGE PANNE 540



This graph shows the sound absorption coefficient of two flat curtains, hanging from separate rails in front of a wall: the first at 0 cm (G0) and the second at 15 cm (G150) from the wall.

WOOL SERGE PANNE 540

SOUND REDUCTION INDEX



This graph shows the sound reduction index of two flat curtains tensioned in a wall opening, separated by a 10 cm air gap.

AVAILABLE COLOURS



183 cm wide is only available in black (0007).